A

Abe-Hashimoto J, 693
Abels C, 672
Agarwal R, 394
Ager A, 869A
Aiba S, 379
Airola K, 184
Akasaka T, 104
Akiyama K, 163
Akiyama M, 844
Albuquerque EX, 774
Aldridge RD, 866A
Alijagic S, 868A
Allan AE, 687
Alzona CP, 733
Amagai M, 243
Amantea A, 625
Anderson C, 862A
Anderson CE, 87
Anderson JE, 147
Anderson RR, 709
Ando H, 567
Annicchiarico-Petruzzelli M, 357
Anton-Lamprecht DI, 856
Aoki V, 872A
Archambault M, 687
Ariizumi K, 592
Ariizumi K, 859A, 861A, 865A
Arnsmeier SL, 237
Artuc M, 868A
Asada H, 138
Asada Y, 608
Asaga H, 163
Aßmann CU, 859A
Aubert G, 87

B

Bacci S, 863A, 867A
Bachelez H, 56
Bahn RS, 372
Bakos L, 8
Baldeschwieler JD, 96
Bale SJ, 357
Banchereau J, 860A
Baptista PL, 8
Barlan B, 160
Barnetson RSC, 345
Bartels J, 562
Bata-Csorgo Z, 782
Bauer EA, 648
Bäumler W, 672
Bavinck JNB, 367
Bayerl TM, 291
Beasley DG, 339
Becker D, 220
Becker D, 861A
Behar S, 873A
Bellinghausen I, 220
Bennett M, 592
Bennett R Jrs., 314
Benning C, 873A
Berger C, 62
Bergfeld WF, 352
Bergstresser PR, 225, 831, 837
Bergstresser PR, 859A, 861A, 865A
Berkhout RJM, 367
Bernasconi K, 653
Berne B, 402
Bernhofer L, 874A
Bernstein EF, 269
Berse B, 44
Bestak R, 345
Bickenbach JR, 1, 145, 309, 527, 633, 729
Bieber T, 860A, 865A
Bihari I, 867A
Bikle DD, 693
Blank C, 865A
Boddé HE, 619
Bogdan C, 865A
Bohbot A, 859A, 864A
Bonafé J-L, 87
Bonifas JM, 629
Borget T, 739
Borgwardt JE, 147
Bornscheuer E, 585
Bos JD, 92
Bos JD, 859A
Bouwstra JA, 619
Boyd CD, 65
Braathen LR, 859A, 866A
Bracci-Laudiero L, 854
Brand ChU, 859A
Brand CU, 866A
Brauchle M, 579
Breedveld FC, 143
Brousse N, 867A
Brown DB, 269
Brown LF, 44
Brown RR, 388
Brownlie J, 861A
Bruijnzeel PLB, 769
Bruijnzeel-Koomen CAFM, 867A
Bruns M, 597
Bucana CD, 8
Bucana CD, 863A
Burg G, 862A
Burgeson RE, 543
Buxton RS, 314
Byers HR, 104
Byers PH, 311

C

Cai X, 870A
Campbell C, 274
Cancedda R, 644
Canning MO, 865A
Caorsi I, 866A
Capelli A, 248
Casparian JM, 709
Caux C, 860A
Cavanagh LL, 862A
Cavani A, 860A
Cayuela JM, 56
Cazenave J-P, 859A, 864A
Celli G, 38
Cerroni L, 797
Cestari TF, 8
Chakraborty A, 655
Chambon P, 80
Chan LS, 75
Chan LS, 870A
Chang C-H, 862A
Chaplin PJ, 861A
Charbonnier AS, 864A
Chen C, 678
Chen H, 629
Chen JD, 237
Chen M, 870A
Chen TC, 133
Chilcott AR, 862A
Chilukuri K, 572
Chimenti S, 625
Christensen ND, 438
Christiano AM, 857
Christophers E, 562, 585
Chu M-L, 597
Cimis G, 209
Claas FHJ, 143
Clark RAF, 789
Clark RAF, 873A
Clydesedale GJ, 863A
Collins RA, 861A
Colp P, 868A
Compton JG, 357
Concha M, 866A
Conti-Fine BM, 774
Cooper KD, 383, 782
Cornelius LA, 170
Cossarizza A, 215
Couchman JR, 426
Courtellemont P, 866A
Crooks CF, 51
Crouch EC, 190
Cunningham DS, 866A
Czarnetzki BM, 109
Czarnetzki BM, 868A
Czech W, 407

D

Dai R, 863A
Dale BA, 844
Dam TN, 867A
Dam-Meiring A, 868A
Dandie GW, 862A, 863A
Das PK, 859A
Datta SC, 80, 549
de Graaf JH, 867A
de Jong-Tieben LM, 367
de la Salle H, 860A, 864A
de Leeuw SM, 259
De Luca LM, 38
De Luca M, 644
De Vries RRP, 143
de Weger RA, 867A
de Wit HJ, 865A
Dean S, 868A
Dearman RJ, 867A
DeLeo V, 874A
Denfeld RW, 863A
Detmar M, 44
Dettmar P, 291
Dezutter-Dambuyant C, 860A, 6A, 866A, 869A
Diaz LA, 872A
Dichmann S, 231
Dierickx CC, 709
Diethelm-Okita BM, 774
Dinarello CA, 334
Ding T-g, 62
Ding X, 872A
Dixon DB, 203
Dixon WT, 301
Doherty E, 274
Doi S, 866A
Dolhain RJEM, 143
Dooley TP, 177
Dorbic T, 868A
Doskoch PM, 113
Downing DT, 296, 613
Downing DT, 871A
Drexhage HA, 865A
du Cros DL, 426
du Pont JS, 864A
Dubertret L, 56
Duell EA, 549
Durham BH, 532
Dvorak HF, 44

E

Ebner C, 860A
Edelbaum D, 837
Edelbaum D, 865A
Edelson R, 62
Edwards S, 733
Eisen AZ, 411
Elbe A, 859A
Elder JT, 549
Elferink BG, 143
El-Ghorr AA, 264
Elicker BM, 44
Elliott GR, 769
Elmets CA, 862A
Elsner J, 231
Emile JF, 867A
Emilson A, 865A
Eming SA, 756
Enk A, 861A
Enk AH, 220
Enk AH, 861A
Epstein EH Jr., 629
Eramo LR, 870A
Eriksen J, 120
Ermak G, 655
Esaki C, 329
España A, 872A
Etzioni A, 683

F

Fairley JA, 872A
Falanga V, 27
Falk-Marzillier J, 557
Faller M, 864A
Fantini F, 854
Farinelli WA, 709
Farrell JA, 62
Fässler R, 579
Feiken E, 120
Feinberg E, 65

0022-202X/95/$09.50 • Copyright © 1995 by The Society for Investigative Dermatology, Inc.

Felt S, 693
Ficarra G, 868A
Fiebiger E, 860A
Fiers MM, 864A
Fiers W, 197
Fisher GJ, 80, 285, 549
Fleischmajer R, 597
Fleming MG, 872A
Forbes D, 269
Forsey R, 866A
Foster C, 438
Fox F, 859A
Fraser WD, 532
Fridman W-H, 860A, 864A
Friedmann PS, 532
Fritsch C, 672
From L, 22
Frosch S, 888A
Fujisawa H, 334
Fujisawa S, 749
Furue M, 124
Furue M, 862A, 865A
Furukawa F, 536

G

Gailit J, 789
Gamou S, 243
Garlick JA, 789
Gasparro FP, 874A
Gelfand EW, 220, 816
George PM, 774
Giannetti A, 215
Gibson DFC, 693
Gijbels MJJ, 769
Gilchrest BA, 687, 744
Gilhar A, 683
Gilliland K, 209
Girbal-Neuhauser E, 432
Giri A, 644
Girolomoni G, 215
Girolomoni G, 859A
Giudice GJ, 872A
Goerz G, 672
Goetz AE, 672
Goldberg GI, 411
Goldsmith LA, 529
Goodman L, 177
Gooris GS, 619
Gordon KB, 870A
Gorochov G, 56
Grabbe S, 861A, 868A
Grando SA, 774
Granstein RD, 859A
Green KJ, 147
Grewe M, 407
Griffiths CEM, 285, 549
Grotendorst GR, 280
Gruber BL, 789
Grzegorczck AD, 862A
Gyufko K, 407

H

Haapalainen T, 100
Haas J, 797
Haberstock J, 860A
Haftek M, 432
Hagari S, 209
Häkkinen L, 197
Hall K, 438
Hall RP, 873A
Halliday GM, 345
Halliday GM, 862A
Hamilton TA, 285
Hanafin NM, 133
Hanau D, 859A, 860A, 864A
Hanley K, 203
Hara M, 744
Harada H, 870A
Harris G, 209
Harrison D, 274
Harth W, 357
Hartinger A, 291
Hartmann B, 418
Hartschuh W, 851
Hashimoto K, 870A
Hashimoto T, 147, 153, 243
Hashimoto Y, 810
Hatzelmann A, 70
Hayakawa K, 749
He D, 873A
Heald P, 62
Healy E, 274
Heine M, 869A
Heinrich G, 133
Helfman T, 27
Helm TN, 352
Henneman C, 802
Hernandez GT, 648
Herrod R, 733
Herron GS, 648
Heufelder AE, 372
Heufler C, 861A
Hill TJ, 868A
Hirobe T, 361
Hirota S, 138
Hirvonen O, 664
Hitchcock ME, 438
Hoeffler WK, 648
Hoeksra MJ, 864A
Höfler H, 625
Hofmann-Wellenhof R, 797
HogenEsch H, 769
Hohl D, 653
Holbrook KA, 844
Holick MF, 133
Hormia M, 557
Hors-Cayla M-C, 87
Horton RM, 774
Hoshino T, 866A
Hosoi J, 859A
Hou ZZ, 572
Houghton AN, 113
Howard CJ, 861A
Howie SEM, 866A
Hu L, 870A
Huber M, 653
Hudson LG, 871A
Huff JC, 816
Hunter JAA, 866A
Hunziker Th, 859A
Hurley HJ, 731
Hwang J, 655

I

Ichihashi M, 567
Igarashi A, 128, 280
Ihn H, 128, 280
Iizuka H, 810
Ikeda S, 629
Iles V, 209
Imamura S, 399
Imayama S, 254
Imokawa G, 32, 254
Iscoe NA, 22
Ishigami A, 163
Ishii K, 243
Ishiko A, 153
Isola G, 248
Isseroff R, 438
Isseroff RR, 203
Ito A, 138
Ito S, 361

J

Jacobs I, 863A
Jacquet C, 864A, 869A
Jeffes EWB III, 733
Jelaska A, 789
Jimbow K, 301
Johnson AW, 739
Jones JCR, 75, 557
Jonuleit H, 861A
Juneja C, 874A
Jurgovsky K, 109
Jurgovsky K, 868A

K

Kadono T, 128
Kähäri V-M, 197
Kahn HJ, 22
Kallioinen M, 100
Kameyoshi Y, 585
Kamperdijk EWA, 864A
Kamps WA, 868A
Kan S, 163
Kane N, 871A, 872A
Kang S, 80, 549
Kapp A, 231
Kapsenberg ML, 92
Kapsenberg ML, 859A
Karelina TV, 411
Karrer S, 672
Karvonen J, 664
Karvonen S-L, 664
Katchman SD, 269
Katiyar SK, 394
Kawai M, 254
Kay M, 352
Keller G, 625
Kerl H, 625, 797
Kikkawa U, 567
Kikuchi A, 153
Kikuchi K, 128, 280
Kimber I, 867A, 869A
Kindås-Mügge I, 160
Kinet J-P, 860A
King IA, 314
Kirtschig G, 543
Kitagaki H, 749
Kitajima T, 861A
Kitajima Y, 329
Kitamura Y, 138
Kleefstra TK, 867A
Klein CE, 418
Klinger M, 585
Knobler RM, 160
Knop J, 220
Knop J, 861A
Ko MSH, 870A
Kobayashi H, 810
Kobayashi M, 866A
Kobayashi Y, 863A, 864A, 869A
Koch F, 861A, 869A
Kofler R, 797
Kohlmus CM, 109
Kohri K, 138
Kolesaric A, 859A
Koltrowitz F, 585
Komisarek KL, 96
Kondo S, 334
Korge BP, 357
Korman N, 872A
Korman NJ, 394, 824
Korn JH, 789
Kowalczyk AP, 147
Kraal G, 864A
Kraft D, 860A
Kraft S, 860A
Kragballe K, 867A
Krämer M, 865A
Kreider JW, 438
Kripke ML, 8
Kripke ML, 863A
Kroezen M, 859A
Krutmann J, 407
Kühn U, 861A
Kuivaniemi H, 352
Kulke R, 585
Kumar V, 592
Küpper M, 585
Kupper TS, 635
Kurimoto I, 863A
Kwong L-S, 861A

L

Labrie F, 678
Lacombe D, 87
Ladin DA, 572
Landthaler M, 672
Langeveld-Wildschut EG, 867A
Lapiere JC, 75
Lappin MB, 867A
Larjava H, 100
Larocca LM, 248
Laroche L, 56
Lavrijsen APM, 619
Lazarova Z, 873A
Lazo ND, 296
LeBaron RG, 426
Lebwohl M, 65
Ledbetter S, 44, 177
Lee GC, 733
Lee J, 756
Leeuwen RL, 104
Legac E, 56
Lehman MD, 739
Leiserowitz GS, 438
Leow A, 143
Lessin SR, 855
Leung DYM, 220
Levit E, 874A
Leyden WA, 629
Li X, 678
Lichti U, 177
Lim HW, 873A
Limat A, 418
Linden KG, 733
Linnala-Kankkunen A, 660
Liu YY, 572
Liu Z, 872A
Lohmann S, 861A
Longley J, 62
Lowe NJ, 739
Lu S-Z, 62
Lucas AD, 862A
Luftman D, 739
Luger TA, 861A, 868A
Lukas M, 859A
Lund LR, 120

Luppi AM, 215
Lutz MB, 859A

M

MacDonald ED, 597
Maeda H, 322
Maeda T, 608
Maggiano N, 248
Magnoni C, 854
Mahnke K, 861A, 868A
Majmudar AA, 870A
Mallet F, 864A
Manabe M, 163
Manickasingham S, 868A
Mäntyjärvi R, 660
Marchese MJ, 789
Mariani TJ, 65
Marinkovich MP, 75, 543
Marinkovich MP, 870A
Marshall P, 873A
Martin K, 874A
Martin TA, 27
Massacrier C, 860A, 864A
Masui S, 764
Masunaga T, 153
Mathew PA, 592
Matsui C, 648
Matsumura K, 629
Matsumura Y, 399
Matsuo S, 810
Maurer D, 860A, 864A
Mauro T, 203
Mazzanti C, 357
McCance DJ, 668
McCawley LJ, 871A
McCullough JL, 733
McGrath JA, 857
McKenzie RC, 334
McVittie E, 866A
Meier F, 870A
Meinardi MMHM, 92
Meine JG, 296
Meng H, 789
Messana E, 687
Meunier L, 782
Meyers DP, 739
Mihm MC Jr., 104
Minami H, 608
Miyagishi M, 32
Mizoguchi M, 322
Mohamadzadeh M, 220, 837
Mohamadzadeh M, 861A, 865A
Moll H, 865A
Moll I, 14, 851
Moll R, 851
Møller B, 867A
Möller P, 868A
Monaco MD, 269
Moncuit J, 864A
Moraro R, 874A
Morelli JG, 816
Morgan JR, 756
Mosesson M, 873A
Mudde GC, 867A
Mukhtar H, 394
Mukhtar H, 862A
Müller G, 861A
Muller HK, 862A
Muller K, 863A
Murata H, 27
Murphy GF, 704
Murphy RC, 816

N

Nagy JA, 44
Nakagawa H, 128
Nakagawa S, 379
Nakamura K, 635
Nakamura K, 865A
Nakamura T, 859A
Nakano H, 764
Nakashima H, 124
Nashiro K, 280
Natali PG, 248
Nead MA, 668
Nearn MR, 345
Nehring LC, 170
Nelson CF, 648
Nestle FO, 862A
Neuner P, 160
Newman D, 873A
Nickoloff BJ, 855
Nickoloff BJ, 862A
Niizeki H, 867A
Nishigori C, 399
Nishikawa S-i, 322
Nishikawa T, 153, 243
Nistér M, 402
Nomura S, 138
Norval M, 264
Norval M, 867A

O

Ochoa S, 27
O'Connor SD, 96
Ogita K, 567
Ogoshi M, 861A
Ohkawara A, 383
Oikarinen A, 100
Oka M, 567
Oksala O, 100
Okura M, 322
Orlow SJ, 3
Ortner U, 869A
Osada A, 124
Osada K, 329
O'Toole E, 870A
O'Toole EA, 870A, 871A
Ottani D, 215
Ozawa H, 379
Ozeki H, 361

P

Paller AS, 237
Pan T-C, 597
Pappone PA, 203
Parkkinen S, 660
Parks WC, 170, 190
Parsons KR, 861A
Pastore S, 334
Pastore S, 859A
Pawelek J, 655
Payne CD, 871A
Péguet-Navarro J, 866A
Pelkonen J, 660
Peltonen J, 664
Pentikäinen J, 660
Pereira EFR, 774
Peris K, 625
Perlish JS, 597
Piantelli M, 248
Piepkorn M, 802
Pillai S, 693
Pimpinelli N, 868A
Pincelli C, 854
Pistoor FHM, 92
Pistoor FHM, 859A
Plopper G, 557
Poffe O, 644
Ponec M, 619
Pontén F, 402
Pontén J, 402
Price AA, 869A
Prignano F, 867A
Puy LA, 678

Q

Quaranta V, 557

R

Rabinowitz LG, 87
Raboud F, 862A
Radcliff FJ, 863A
Ragg SJ, 862A
Rakotoarivony J, 432
Ramarli D, 644
Rambukkana A, 859A
Ramsay JA, 22
Ranelletti FO, 248
Rao CN, 572
Rattis FM, 866A
Rautiainen J, 660
Ray TL, 871A
Reddy AP, 80, 549
Redziniak G, 866A
Rees JL, 274
Reina S, 644
Reininger B, 860A
Reinl HM, 291
Reits E, 864A
Ren Z-P, 402
Renkl A, 863A
Reske-Kunz AB, 866A
Rettler I, 653
Reunala T, 184
Reynolds NJ, 274
Rhodes LE, 532
Ricci R, 248
Ricciardi-Castagnoli P, 859A, 868A
Rice RH, 699
Richard G, 357
Richters CD, 864A
Rico MJ, 873A
Roberts JE, 873A
Roberts LK, 339
Roby JD, 170
Rola-Pleszczynski M, 816
Romagnoli P, 867A, 868A
Romani N, 869AA, 861A, 869A
Rømer J, 120
Rook AH, 855
Rook AH, 859AA, 874A
Rosenthal DS, 38
Rowden G, 868A
Roza L, 863A
Rubel DM, 862A
Rupp CO, 394
Rytkönen M, 660

S

Saarialho-Kere UK, 184, 190
Sabahi M, 733
Saed GM, 855
Said S, 733
Salamero J, 859A
Sallee D, 62
Salo T, 100
Saloga J, 220
Saloga J, 861A
Sands C, 866A
Sato F, 871A, 872A
Sato K, 608
Sato K, 871A, 872A
Sato M, 399
Sato S, 128, 280
Sauder DN, 334
Saudrais C, 859A
Scambia G, 248
Scandurro AB, 177
Schadendorf D, 109
Schadendorf D, 868A
Schaumburg-Lever G, 870A
Schechter A, 597
Scheper RJ, 92
Scheper RJS, 864A
Scheynius A, 865A
Schmitt D, 432
Schmitt D, 860A, 6A, 8A, 869A
Schmitt-Egenolf M, 864A
Schön MP, 418
Schöpf E, 407
Schöpf E, 863A
Schothorst AA, 259
Schröder J-M, 585
Schudt C, 70
Schuhmachers G, 225, 592
Schuhmachers G, 861A
Schuler G, 861A, 869A
Schwartz E, 65
Schwarz T, 861A, 868A
Schwing J, 866A
Scott IR, 739
Scriba PC, 372
Searles GE, 301
Sebbag M, 432
Segre GV, 133
Seishima M, 329
Senshu T, 163
Sepp N, 869A
Serre G, 432
Shahidullah H, 866A
Shibahara S, 764
Shibaki A, 383
Shibata K, 764
Shima TB, 38
Shimizu H, 153
Shimizu N, 243
Shiohara T, 749
Shivji GM, 334
Sigaux F, 56
Simard J, 678
Simon JC, 863A
Simon M, 432
Simons JWIM, 259
Singh SM, 678
Slominski A, 655
Smith LH, 438
Smith LT, 802
Smith MD, 274
Smits HL, 367
Smolle J, 797
Smulson ME, 38
Snow RG, 756
Solvsten H, 867A
Sommé G, 432
Soos G, 871A, 872A
Sopp P, 861A

Soundararajan D, 733
Spehner D, 860A
Spieles S, 220
Stanley JR, 147
Stanzl U, 861A
Staquet M-J, 864A, 866A, 869A
Steinbach P, 672
Stewart BE, 699
Stewart ME, 613
Sticherling M, 585
Stingl G, 859A, 860A, 864A
Stössel H, 869A
Streilein JW, 859A, 860A, 863A, 867A
Streilein RD, 873A
Streit V, 562
Strickland FM, 863A
Struyk L, 143
Su M-J, 693
Sueki H, 704
Sugamura K, 837
Sullivan KH, 314
Sun T-T, 844
Suzuki S, 764
Szeimies R-M, 672

T

Tagami H, 379
Taguchi H, 608
Taieb A, 87
Takagi H, 27
Takahashi H, 810
Takashima A, 225, 592, 831, 837
Takashima A, 859A, 861A, 865A
Takebe H, 399
Takehara K, 128, 280
Takema Y, 254
Takigawa M, 536
Takimoto H, 764
Talwar HS, 285
Tamaki K, 124, 128
Tamaki K, 862A, 865A
Tamminga RYJ, 868A
Tamura RN, 557
Tavakkol A, 549
Taylor TB, 870A
Teillaud J-L, 864A
Telegan B, 704
Tenor H, 70
ter Schegget J, 367
Thepen T, 867A
Thiboutot D, 209
Thomas PD, 301
Tigelaar R, 62
Till GO, 872A
Timens W, 868A
Timpl R, 597
Tokura Y, 536
Tomita Y, 764
Tompkins RG, 756
Tonnesen MG, 873A
Torii H, 859A
Traczyk LSC, 870A
Trautinger F, 160
Travers JB, 816
Tridente G, 644
Tromp G, 352
Tsukahara K, 254
Tsukamoto Y, 138
Tyrrell L, 62

U

Uitto J, 269, 857
Ulman Y, 683
Uluer AZ, 51
Underwood RA, 802
Urbach F, 269

V

Vaalamo M, 184
Vabres P, 87
Van De Water L, 44
van der Woude FJ, 367
van Haarst JMW, 865A
Van Ieperen-Van Dijk AG, 867A
van Pelt AM, 864A
van Reijsen FC, 867A
van Wilsem EJG, 864A
Varga J, 388
Varnier O, 644
Venugopalan V, 709
Vermeer BJ, 143, 259, 367
Verrier B, 864A
Versluis C, 867A
Vidal MA, 866A
Vijayasaradhi S, 113
Vincent C, 432
Vining V, 388
Vink AA, 863A
Virtanen T, 660
von Blomberg BME, 92
Voorhees JJ, 80, 285, 549
Vowels BR, 855
Vowels BR, 874A

W

Wakamatsu K, 361
Wakita H, 536
Walsh N, 868A
Walther S, 407
Wang L, 388
Wang Q, 177
Wang X-S, 75
Wang Z-Q, 549
Watanabe K, 749
Watanabe Y, 608
Weerheim A, 619
Weinstein GD, 733
Weiss JM, 863A
Welgus HG, 170
Wen SP, 860A
Wendel A, 70
Werner S, 579
Werther GA, 602
Westermarck J, 197
Whitlow M, 873A
Wieder JM, 739
Wiedow O, 562
Wilhelm D, 585
Williams IR, 635
Williams NA, 868A
Witvliet MD, 143
Wolchok J, 113
Wölfl M, 861A
Wollenberg A, 860A
Wolvers D, 864A
Wood GS, 51
Woodley DT, 75, 237, 572
Woodley DT, 870A, 871A
Woods GM, 862A
Wraight CJ, 602
Wright AR, 357
Wu M, 269
Wysocka M, 861A
Wyss M, 653

X

Xie, 860A
Xu J, 873A
Xu S, 225, 831
Xu Z, 138

Y

Yaar M, 744
Yada Y, 32
Yagi T, 399
Yamada T, 329
Yan S, 62
Yan Z, 859A
Yancey KB, 543
Yancey KB, 873A
Yaping E, 874A
Yarmush ML, 756
Yarosh DB, 863A
Yasaka N, 865A
Yawalkar N, 859A, 866A
Yee C, 873A
Yeo K-T, 44
Yi JY, 80, 549
Ylä-Outinen H, 664
Yoo EK, 874A
Yorimoto Y, 254
Yoshikawa K, 138, 608
Yoshinaga IG, 104
Yuen KS, 862A
Yufit T, 388
Yurko MA, 870A, 871A
Yuspa SH, 177

Z

Zacchi V, 215
Zambruno G, 215
Zanella M, 869A
Zelickson B, 683
Zghal M, 399
Zhou LH, 27
Zone JJ, 870A
Zurcher C, 769

A

Abnormal
  monocyte phosphodiesterase, 84S
  stratum corneum lipid organization, 619
Abstracts
  Langerhans Cells, 859
  Mast Cells and Cellular Interactions, 715
  Society for Investigative Dermatology, 1995, Central Regional Meeting, 870
  Society for Investigative Dermatology, 1995, Eastern Regional Meeting, 873
Acetylcholine receptor, nicotinic, 774
Acid(s)
  cis-urocanic, 264
  5-aminolevulinic, 672
  retinoic, 80, 549
Acidic protein, 75
ACK2, 322
Activation of the Respiratory Burst in Human Eosinophils by Chemotaxins Requires Intracellular Calcium Fluxes, Elsner J, Dichmann S, Kapp A, 231
Activity of the Type 1 5α-Reductase Exhibits Regional Differences in Isolated Sebaceous Glands and Whole Skin, Thiboutot D, Harris G, Iles V, Cimis G, Gilliland K, Hagari S, 209
Acute wounds, 572
Adhesion molecule-3, intercellular, 215
Adult human
  exocrine epithelium, 190
  skin, photodamaged, 285
Allergen(s)
  bovine dermal, protein analysis of, 660
  inhalant, in patch tests, 407
Allergic, contact dermatitis, nickel, 143
Allogenic transplantation of HIV-1 spread from lymphocytes to normal human keratinocytes, 644
All-*Trans* Retinoic Acid Induces Cellular Retinol–Binding Protein in Human Skin *In Vivo*, Fisher GJ, Reddy AP, Datta SC, Kang S, Yi JY, Chambon P, Voorhees JJ, 80
α 1-antitrypsin, 572
α1(I) procollagen, 27
α laminin-5 subunit, 543
αMSH receptors, 655
Amiloride Blocks a Keratinocyte Nonspecific Cation Channel and Inhibits Ca^{++}–Induced Keratinocyte Differentiation, Mauro T, Dixon DB, Hanley K, Isseroff RR, Pappone PA, 203
Amino–terminal region of desmoglein-1, 147
Amphiregulin, 802
Analysis of T-Cell Antigen Receptor Variable Region Gene Usage in Patients with Thyroid–Related Pretibial Dermopathy, Heufelder AE, Bahn RS, Scriba PC, 372
Analysis of the Cytokine Pattern Expressed *In Situ* in Inhalant Allergen Patch Test Reactions of Atopic Dermatitis Patients, Grewe M, Walther S, Gyufko K, Czech W, Schöpf E, Krutmann J, 407
Anchoring system, epithelial, 100
Angiogenesis, 170
Antagonist receptor, interleukin-1, 334
Anti–Basement Membrane Autoantibodies in Patients with Anti–Epiligrin Cicatricial Pemphigoid Bind the α Subunit of Laminin 5, Kirtschig G, Marinkovich MP, Burgeson RE, Yancey KB, 543
Anti–epiligrin cicatricial pemphigoid, 543
Antibody(ies)
  anti–basement membrane, 543
  in situ–bound, 824
  monoclonal
    cis-urocanic acid, 264
    GB3, 648
    human epidermal filaggrin, 432
    MAT-1, 764
    monospecific, 163
    neutralization, 438
Antigen(s)
  fas, 810
  pemphigus, 243
  presentation, effects of UV radiation on, 30S
  –presenting cell(s)
    $CD1^+$ Langerhans–like dendritic, 782
    subsets, 383
    receptor, T-cell, 372
  230-kD bullous pemphigoid, 824
Antiprotease Activity in Urine of Patients with Inflammatory Skin Disorders, Streit V, Wiedow O, Bartels J, Christophers E, 562
Antitrypsin, α1-, 572
Apoptotic process modulation by protein kinase C, 810
Appendages, skin, effect of sunscreen and constitutive p21 expression in, 402
Association of Versican with Dermal Matrices and Its Potential Role in Hair Follicle Development and Cycling, du Cros DL, LeBaron RG, Couchman JR, 426
Athymic mice, 756
Atomic Force Microscopy of Human Hair Cuticles: A Microscopic Study of Environmental Effects on Hair Morphology, O'Connor SD, Komisarek KL, Baldeschwieler JD, 96
Atopic dermatitis
  cytokine pattern expression in, analysis, 407
  lymphocyte function in, 84S
ATR measurements, infrared, of liposome transport kinetics, 291
Atrophic benign epidermolysis bullosa, 855
Autoantigen, 105-kD lower lamina lucida, 75
Autologous transplantation of HIV-1 spread from lymphocytes to normal human keratinocytes, 644
Axis, interleukin-1, 62S

B

acterial superantigen, 220
Barrier function, reduced, skin, 619
Basal lamina formation, 597
Basement membrane, anti–, autoantibodies, 543
Bazex-Dupré-Christol syndrome, 87
B-cell lines, 58S
Benign atrophic epidermolysis bullosa, 855
β
  –chains of IL-2 receptor, 837
  1 TGF, 27
  –sheets, 296
Blood
  peripheral, of psoriatic patients, 733
  vessel development, matrix metalloproteinases in, 411
Bovine dermal allergen, protein analysis, 660
Brown locus protein, 113
Buds, hair follicle, in immature mouse, 177
Bullosa
  epidermolysis
    atrophic benign, 855
    simplex, 529, 629
  pemphigoid
    antibodies from patients with, 824
    230-kD antigen, 824

C

Ca^{++}
  –induced keratinocyte differentiation, 203
  –sensitive form of protein kinase C, 231
Calcitriol, 22-oxa, 693

0022-202X/95/$09.50 • Copyright © 1995 by The Society for Investigative Dermatology, Inc.

Calcium
dependence of conformational epitopes of pemphigus antigens on, 243
intracellular, 231, 329
phosphate in human pilomatricomas, 138
Carcinoma, squamous cell, 329, 399
Catabolism, 693
Cation(s)
channel, keratinocyte(s) nonspecific, amiloride block of, 203
divalent, 301
CDNA cloning, 660
CD
1^+ Langerhans–like dendritic antigen–presenting cells, 782
36^+ $CD11b^+$ $CD1^-$ macrophage subset, 782
44 expression by tumor necrosis factor-α, 124
Cell(s)
adhesion regulation by nicotinic acetylcholine receptor, 774
antigen–presenting, 782
clones, murine dendritic, epidermal–derived, 831
dendritic
accumulation in lymph nodes, 264
clones, 831
cutaneous, maturation and migration, 2S
recruitment by MCP-1, 635
dermal
endothelial microvascular
human, 170
mitogen for, 44
papilla, rat whisker, 177
DJM-1, plasminogen activator secretion in, 329
Langerhans
epidermal, 215
interleukin-10 in, 124
normal skin, 383
recruitment by MCP-1, 635
line(s)
human
keratinocyte, 70, 536
melanoma, motility, 104
mast, 789
melanoma
human, 248
mononuclear, proliferating, 733
mouse, 655
Sezary, 56
skin, normal, 383
squamous, carcinoma, 329, 399
subsets
antigen–presenting, 383
murine T-helper, 8S
–substrate adhesion, 301
T-
dendritic epidermal
human, 50S, 54S
mouse, 43S, 54S
keratinocyte–activated, 25S
lymphoma, cutaneous, 62, 856, 105S
malignant, 62
murine epidermal
dendritic, 592
$\gamma\delta$, 837
$V\gamma5/V\delta1$, 58S
vascular, adhesion molecule-1 expression, 789
Cellular
differentiation, 301
retinoid binding proteins, 549
retinol–binding protein, 80
tissue stroma, 756
uptake, decreased, 693
C57BL/Ka, 769
Characterization of an 80-kD Membrane Glycoprotein (GP80) of Human Keratinocytes: A Marker for Commitment to Terminal Differentiation *In Vivo* and *In Vitro*, Schön MP, Limat A, Hartmann B, Klein CE, 418
Characterization of Hair Follicle Bulge in Human Fetal Skin: The Human Fetal Bulge Is a Pool of Undifferentiated Keratinocytes, Akiyama M, Dale BA, Sun T-T, Holbrook KA, 844
Chemical Characterization of Hair Melanins in Various Coat–Color Mutants of Mice, Ozeki H, Ito S, Wakamatsu K, Hirobe T, 361
Chemokine RANTES, 585
Chemotaxins, 231
Chromatography, gas, 613
Chromosome
3q21-q24, 357
Xq, 87
Chronic
proliferative dermatitis, 769
solar–stimulated UV irradiation, 345
wounds, 572
Cicatricial pemphigoid, anti–epiligrin, 543
cis-urocanic acid, 264
Citrulline residues, 163
Clones
cell, murine dendritic, epidermal–derived, 831
dermal fibroblast, human, 27
Cloning, cDNA, 660
Collagen
matrix coculture, 177
type 1 mRNA, 388
Collagenase
gene expession by human skin fibroblasts, 197
interstitial, 184
COL3A1, 352
Commercial Sunscreen Lotions Prevent Ultraviolet–Radiation–Induced Immune Suppression of Contact Hypersensitivity, Roberts LK, Beasley DG, 339
Comparison of Melanocytes and Keratinocytes in Ultraviolet–Induced DNA Damage per Minimum Erythema Dose Sunlight: Applicability of Ultraviolet Action Spectra for Risk Estimates, de Leeuw SM, Simons JWIM, Vermeer B-J, Schothorst AA, 259
Computer–Assisted Three–Dimensional Reconstruction of Human Dermal Dendrocytes, Sueki H, Telegan B, Murphy GF, 704
Computer Simulations of Histologic Patterns in Melanoma Using a Cellular Automaton Provide Correlations with Prognosis, Smolle J, Hofmann-Wellenhof R, Kofler R, Cerroni L, Haas J, Kerl H, 797
Conformational Epitopes of Pemphigus Antigens (Dsg1 and Dsg3) Are Calcium Dependent and Glycosylation Independent, Amagai M, Ishii K, Hashimoto T, Gamou S, Shimizu N, Nishikawa T, 243
Connective tissue
growth factor gene expression, 280
stroma, cellular and vascular, 756
Contact
dermatitis, nickel allergic, 143
hypersensitivity
sunscreen protection, 345
suppression, 264, 334, 339
sensitivity
model for T-cell actuvation in skin, 80S
response modulation by bacterial antigen, 220
sensitizing agents, epicutaneous application to mice, 749
Contact Sensitivity as a Model for T-Cell Activation in Skin, Enk AH, Katz SI, 80S
Copper, human nickel–reactive T-lymphocyte clones and, 92
Corneocyte protein envelopes, 296
Corneum, stratum, 619
Cross–Reactivity of Human Nickel–Reactive T-Lymphocyte Clones with Copper and Palladium, Pistoor FHM, Kapsenberg ML, Bos JD, Meinardi MMHM, BME von Blomberg, Scheper RJ, 92
Cultured keratinocytes
human
amphiregulin regulation in, 802
proto-oncogene pim-1 in, 699
liposome transport kinetics in, 291
Cutaneous
dendritic cells, maturation and migration, 2S
drug reactions, 95S
inflammation, 62S
lymphoproliferative disorders, 51
malignant melanoma, primary thick, 22
photoaging, 269
T-cell
lymphoma, 62, 856, 105S
subsets, γ/δ TcR^+, 379
tumors, 411

Cuticles, human hair, 96
Cycling of hair follicles, 426
Cytokine(s)
  inhalant allergen patch tests in, 407
  networks in the skin, 20S
  stimulated human dermal fibroblasts, 585
  Th2 profile, 856
  UV radiation–induced ICAM-1 expression in, 67S
Cytokine Networks in the Skin, Schröder J-M, 20S
Cytotoxicity, 608

D

Decreased cellular uptake, 693
Degree of Ultraviolet–Induced Tortuosity of Elastic Fibers in Rat Skin Is Age Dependent, Imokawa G, Takema Y, Yorimoto Y, Tsukahara K, Kawai M, Imayama S, 254
Dendricity, melanocyte, 744
Dendritic
  antigen–presenting cells, $CD1^+$, Langerhans–like, 782
  cell(s)
    accumulation in lymph nodes, 264
    clones, epidermal–derived, murine, 831
    cutaneous, maturation and migration, 2S
    lines, epidermal–derived, 225
    recruitment by MCP-1, 635
    T-, epidermal
      human, 50S, 54S
      mouse, 43S
      murine, 592
Dendrocytes, human dermal, computer–assisted 3-D reconstruction, 704
Dermal
  allergen, bovine, protein analysis of, 660
  dendrocytes, 704
  fibroblasts
    human
      clones, 27
      cytokine–stimulated, 585
      dendrocytes, 704
      interferon-γ–treated, 388
    tropoelastin accumulation in, 65
  matrices, 426
  microvascular endothelial cells
    human, 170
    mitogen for, 44
  papilla cells, rat whisker, 177
  regeneration, 756
Dermatitis
  atopic
    cytokine pattern expression, analysis, 407
    lymphocyte function in, 84S
  chronic, proliferative, 769
  contact, nickel allergic, 143
  herpetiformis lesions, 184
  interface, 71S
Dermis, human, 782
Dermopathy, pretibial, thyroid–related, 372
Desmocollins of Human Forskin Epidermis: Identification and Chromosomal Assignment of a Third Gene and Expression Patterns of the Three Isoforms, The, King IA, Sullivan KH, Bennett R Jr, Buxton RS, 314
Desmoglein-1, 147
Desmosomes, 153
Destruction of the Epithelial Anchoring System in Lichen Planus, Haapalainen T, Oksala O, Kallioinen M, Oikarinen A, Larjava H, Salo T, 100
Detection of Deiminated Proteins in Rat Skin: Probing with a Monospecific Antibody After Modification of Citrulline Residues, Senshu T, Akiyama K, Kan S, Asaga H, Ishigami A, Manabe M, 163
Detection of the Chemokine RANTES in Cytokine–Stimulated Human Dermal Fibroblasts, Sticherling M, Küpper M, Koltrowitz F, Bornscheuer E, Kulke R, Klinger M, Wilhelm D, Kameyoshi Y, Christophers E, Schröder J-M, 585
Development of hair follicles, 426
Diacylglycerols, topical, 687
Dietary Fish Oil Reduces Basal and Ultraviolet B–Generated PGE_2 Levels in Skin and creases the Threshold to Provocation of Polymorphic Light Eruption, Rhodes LE, Durham BH, Fraser WD, Friedmann PS, 532
Differential Down–Regulation of Protein Kinase C Subspecies in Normal Human Melanocytes: Possible Involvement of the ζ Subspecies in Growth Regulation, Oka M, Ogita K, Ando H, Kikkawa U, Ichihashi M, 567
Differential Extracellular Signaling Via FcγR and FMLP in Functionally Distinct Antigen–Presenting Cell Subsets: Ultraviolet–Induced Epidermal Macrophages Versus Langerhans Cells, Shibaki A, Ohkawara A, Cooper KD, 383
Differentiation–Associated Expression of the Proto–Oncogene pim-1 in Cultured Human Keratinocytes, Stewart BE, Rice RH, 699
Dihydroxysphingosines, long–chain, 613
Direct and Indirect Control of T-Cell Activation by Keratinocytes, Nickoloff BJ, Turka LA, Mitra RS, Nestle FO, 25S
Divalent Cations Control Cell–Substrate Adhesion and Laminin Expression in Normal and Malignant Human Melanocytes in Early and Late Stages of Cellular Differentiation, Searles GE, Dixon WT, Thomas PD, Jimbow K, 301
DJM-1 cells, plasminogen activator secretion in, 329
DNA
  damage, UV–induced, 259
  ICAM-1 expression in UV radiation–induced, 67S
  papillomavirus, human, epidermodysplasia verruciformis–associated, 367
  reduced response to, 38
Donor phenotype maintenance, 769
Drug reactions, cutaneous, 95S
Dsg1 and 3, 243

E

E-cadherin, 379
Effects of Monoclonal Anti–c-Kit Antibody (ACK2) on Melanocytes in Newborn Mice, Okura M, Maeda H, Nishikawa S-i, Mizoguchi M, 322
Ehlers–Danlos Syndrome Type IV: A Genetic Disorder in Many Guises, Byers PH, 311
Ehlers–Danlos Syndrome Type IV: A Single Base Substitution of the Last Nucleotide of Exon 34 in COL3A1 Leads to Exon Skipping, Kuivaniemi H, Tromp G, Bergfeld WF, Kay M, Helm TN, 352
80kD membrane glycoprotein, 418
Elastic
  fibers, 254
  human, promoter, 269
Endothelial
  cells, dermal microvascular
    human, 170
    mitogen for, 44
  growth factor, vascular, 44
Endothelin-1 as a New Melanogen: Coordinated Expression of Its Gene and the Tyrosinase Gene in UVB–Exposed Human Epidermis, Imokawa G, Miyagishi M, Yada Y, 32
Endothelin-1 of Keratinocyte Origin Is a Mediator of Melanocyte Dendricity, Hara M, Yaar M, Gilchrest BA, 744
Engineered Human Skin Model Using Poly(ADP-Ribose) Polymerase Antisense Expression Shows a Reduced Response to DNA Damage, Rosenthal DS, Shima TB, Celli G, De Luca LM, Smulsonss ME, 38
Enhanced Expression of Interstitial Collagenase, Stromelysin-1, and Urokinase Plasminogen Activator in Lesions of Dermatitis Herpetiformis, Airola K, Vaalamo, Reunala T, Saarialho-Kere UK, 184
Enterotoxin B, staphylococcal, 536
Enzyme(s)
  activity, hamster, 678
  chronic wound fluid, 572
  tumor progression, in, 109
Eosinophils, human, 231
Epicutaneous application of contact sensitizing agents in mice, 749
Epidermal
  –derived
    dendritic cell lines, 225
    murine dendritic cell clones, 831
  filaggrin, human, 432
  growth factor, 602
  hyperplasia
    induction by application of retinol to human skin *in vivo*, 549

psoriatic, 89S
interleukin-1α mRNA, 394
Langerhans cells, 215
macrophages, UV–induced, 383
murine
dendritic T cells, 592
γδ T-cells, 837
T cells, dendritic
human, 592, 837, 50S, 54S
mouse, 43S
Vδ5/Vδ1–T-cell receptor$^+$ T cells, murine, 58S
Epidermis, human
foreskin, desmocollins of, 314
genetically modified, 756
lesional psoriatic, 664
pemphigus sera in, 153
UVB–exposed, 32
Epidermodysplasia verruciformis–associated human papillomavirus DNA, 367
Epidermolysis bullosa
atrophic benign, 855
simplex, 529, 629
Epithelial anchoring system, 100
Epithelium, exocrine, adult human, 190
Epitopes
conformational, of pemphigus antigens, 243
sensitive, conformationally, 147
Erythema dose sunlight, minimum, UV–induced DNA damage per, 259
Estrogen binding sites, type II, 248
Exocrine epithelium, adult human, 190
Expression of Amphiregulin Is Regulated in Cultured Human Keratinocytes and Developmentally During Fetal Skin Morphogenesis, Piepkorn M, Underwood RA, Henneman C, Smith LT, 802
Expression of Vβ Gene Segments by Sezary Cells, Gorochov G, Bachelez H, Cayuela JM, Legac E, Laroche L, Dubertret L, Sigaux F, 56

F

Fas antigen, 810
FcγR, 383
Fetal skin
human
hair follicle bulge in, 844
matrix metalloproteises in blood vessel development in, 411
morphogenesis, 802
thermocytes, TCR Vδ3$^+$, 54S
Fibers, elastic, 254
Fibroblast(s)
dermal, human
clones, 27
cytokine–stimulated, 585
increased tropoelastin in, 65
interferon-δ–treated, 388
lines, NS series, skin–derived, 225
nidogen source, 597
scleroderma, 128
skin, collagenase gene expression by, 197
T-cell adhesion to, 789
Fibronectin
in acute and chronic wounds, 572
matrix, 237
Filaggrin, human epidermal, 432
Finasteride, topical, 678
First International Merkel Cell Symposium, Heidelberg, Germany, *meeting report*, Moll I, Hartschuh W, Moll R, 851
Fish oil, dietary, 532
5-aminolevulinic acid, 672
5α-Reductase, type 1, 209
Flank organ size, hamster, 678
Flutamide, topical, 678
FMLP, 383
Focal Adhesion Kinase (p125^{FAK}) Expression Correlates with Motility of Human Melanoma Cell Lines, Akasaka T, van Leeuwen RL, Yoshinaga IG, Mihm MC Jr, Byers HR, 104
Foliaceus, pemphigus, serum, 153
Follicle(s) hair
buds, immature mouse, 177
bulge in human fetal skin, 844
development and cycling, 426
human, plucked, 14
Foreskin, human, epidermis, desmocollins of, 314
Free Sphingosines of Human Skin Include 6-Hydroxysphingosine and Unusually Long–Chain Dihydrosphingosines, Stewart ME, Downing DT, 613
Functional Intercellular Adhesion Molecule-3 Is Expressed by Freshly Isolated Epidermal Langerhans Cells and Is Not Regulated During Culture, Zambruno G, Cossarizza A, Zacchi V, Ottani D, Luppi AM, Giannetti A, Girolomoni G, 215

G

δ
/δ TcR$^+$ T-cells, 379
^{c}–chains of the IL-2 receptor, 837
2 chain of laminin-5, 648
δ2 Chain of Laminin-5 Is Recognized by Monoclonal Antibody GB3, Matsui C, Nelson CF, Hernandez GT, Herron GS, Bauer EA, Hoeffler WK, 648
Ganglioside G_{T1b} Inhibits Keratinocyte Adhesion and Migration on a Fibronectin Matrix, Paller AS, Arnsmeier SL, Chen JD, Woodley DT, 237
Gas chromatography, 613
GB3 monoclonal antibody, 648
Gene(s)
Bazex-Dupré-Christol syndrome, 87
collagenase, expession by human skin fibroblasts, 197
growth factor, expression, connective tissue, 280
immunoglobulin, 2B4, 592
lamb3, 855
melanogen, new, 32
mutations, keratin 14, 629
p53, mutations in, 399
tyrosinase, 32
usage, T-cell antigen receptor variable region, 372
Vβ, 56
Gene for Bazex-Dupré-Christol Syndrome Maps to Chromosome Xq, The, Vabres P, Lacombe D, Rabinowitz LG, Aubert G, Anderson CE, Taieb A, Bonafé J-L, Hors-Cayla, M-C, 87
Genetic disorder, Ehlers–Danlos syndrome, type IV, 311, 352
Genetically modified keratinocytes, 756
Gland(s) sebaceous, 209
Glucocorticoids, 579
Glutathione and Related Enzymes in Tumor Progression and Metastases of Human Melanoma, Schadendorf D, Jurgovsky K, Kohlmus CM, Czarnetzki BM, 109
Glycosylation, 243
GP75, 113
GP80, 418
Grafts, nude mouse, 177
Granulomatous response to lepromin, 8
Green tea polyphenols, 394
Growth Regulation in Scleroderma Fibroblasts Increased Response to Transforming Growth Factor–β1, Kikuchi K, Kadono T, Ihn H, Sato S, Igarashi A, Nakagawa H, Tamaki K, Takehara K, 128
Growth
factor
epidermal, 602
gene, connective tissue, expression, 280
regulation, ζ subspecies in, 567
Guinea pig skin, pigmentation, 687

H

HaCaT
keratinocytes, 557, 602
monophosphate–dependent up–regulation, 70
Hailey-Hailey Disease Maps to a 5cM Interval on Chromosome 3q21-q24, Richard G, Korge BP, Wright AR, Mazzanti C, Harth W, Annicchiarico-Petruzzelli M, Compton JG, Bale SJ, 357

Hair
follicle(s)
buds, immature mouse, 177
bulge in human fetal skin, 844
development and cycling, 426
human
cuticles, 96
plucked, 14
melanins, 361
morphology, environmental effects on, 96
Hamster flank organ size and enzyme activity, 678
Healing, wound, 579
Hemidesmosomes, mature, formation in HaCaT keratinocytes, 557
Herman Beerman, October 31, 1901 to January 1, 1995, *tribute*, Hurley HJ, 731
Herpes simplex virus infection, 99S
Herpetiformis dermatitis, lesions, 184
Heterogeneity, phenotypic and functional, among murine epidermal–derived dendritic cell clones, 831
Heterozygosity in melanoma, loss of, 625
High Prevalence of Mutations in the p53 Gene in Poorly Differentiated Squamous Cell Carcinomas in Xeroderma Pigmentosum Patients, Matsumura Y, Sato M, Nishigori C, Zghal M, Yagi T, Imamura S, Takabe H, 399
Histologic patterns in melanoma, 797
HIV
disease, 122S
skin
-associated lymphoid tissue in, 99S
clinical marker for, 117S
spread of, 644
HIV-1 Spreads from Lymphocytes to Normal Human Keratinocytes Suitable for Autologous and Allogenic Transplantation, Ramarli D, Giri A, Reina S, Poffe O, Cancedda R, Varnier O, Tridente G, De Luca M, 644
Host defense, immunologic, 110S
HPV-11 infectivity, 438
Human Dermal Fibroblast Clones Derived from Single Cells Are Heterogeneous in the Production of mRNAs for α1(I) Procollagen and Transforming Growth Factor-β 1, Falanga V, Zhou LH, Takagi H, Murata H, Ochoa S, Martin TA, Helfman T, 27
Human Dermal Microvascular Endothelial Cells Produce Matrix Metalloproteinases in Response to Angiogenic Factors and Migration, Cornelius LA, Nehring LC, Roby JD, Park WC, Welgus HG, 170
Human
dermal
dendrocytes, computer–assisted 3-D reconstruction of, 704
fibroblasts
clones, 27
cytokine–stimulated, 585
interferon-δ–treated, 388
microvascular endothelial cells, 170
dermis, 782
elastin promoter, 269
eosinophils, 231
epidermal filaggrin, 432
epidermis
genetically modified, 756
pemphigus sera in, 153
UVB–exposed, 32
exocrine epithelium, adult, 190
fetal skin
hair follicle bulge in, 844
matrix metalloproteases in blood vessel development in, 411
fibroblasts, T-cell adhesion to, 789
foreskin epidermis, desmocollins of, 314
hair
cuticles, 96
follicles, plucked, 14
immunodeficiency virus-1 infection, 99S
keratinocyte(s)
cell
adhesion and motility in, 774
line, 70
cultured
amphiregulin regulation in, 802
expression of the proto-oncogene pim-1 in, 699
GP80 of, 418
normal, 644
platelet–activating factor receptors on, 816
poly-L-ornithine–mediated transfection of, 668
SV40–transformed, 810
melanocytes
malignant, 301
normal, 567
melanoma
cell(s)
growth inhibition, 248
lines, 104
metastases, 109
nickel–reactive T-lymphocyte clones with copper and palladium, 92
papillomavirus
DNA, epidermodysplasia verruciformis–associated, 367
infection, 99S
pilomatricomas, calcium phosphate in, 138
skin
adult, photodamaged, 285
application of retinol to, 549
fibroblasts, 197
free sphingosines of, 613
model, engineered, 38
morphologic changes, UVA–induced, 739
p21 and p53 in, 402
tyrosinase, 764
Human Immunodeficiency Virus and the Skin: Selected Controversies, Duvic M, 117S
Hydrogen peroxide, 608
Hyperplasia
epidermal, 549
psoriatic epidermal, 89S
Hypersensitivity
contact
sunscreen protection, 345
suppression, 334, 339
responses in mice, delayed, 264

I

ICAM-1
in interface dermatitis, 71S
molecules, 536
regulation to induce T-cell adhesion to human fibroblasts, 789
UV radiation–induced modulation of, 67S
Ichthyosis, lamellar, 619, 653
Identification of Functional Platelet–Activating Factor Receptors on Human Keratinocytes, Travers JB, Huff JC, Rola-Pleszczynski M, Gelfand EW, Morelli JG, Murphy RC, 816
Identification of Phosphodiesterase IV Activity and Its Cyclic Adenosine Monophosphate–Dependent Up–Regulation in a Human Keratinocyte Cell Line (HaCaT), Tenor H, Hatzelmann A, Wendel A, Schudt C, 70
Identity and Functional Properties of Novel Skin–Derived Fibroblast Lines (NS Series) That Support the Growth of Epidermal–Derived Dendritic Cell Lines, Schuhmachers G, Xu S, Bergstresser PR, Takashima A, 225
IFN-δ–treated keratinocytes, 536
IGFBP-3, 602
IgG
fraction of serum from vitiligo patients, 683
pemphigus, 329
Immediate–type Hypersensitivity Response Followed by a Late Reaction Is Induced by Repeated Epicutaneous Application of Contact Sensitizing Agents in Mice, Kitagaki H, Fujisawa S, Watanabe K, Shiohara T, 749
Immune response, mammalian, steroid regulation, 14S
Immunity, modulaton by UV radiation, 30S
Immunobiology of Mouse Dendritic Epidermal T Cells: A Decade Later, Some Answers, But Still More Questions, Tigelaar RE, Lewis JM, 43S
Immunoglobulin gene 2B4, 592
Immunologic Host Defense in Melanoma: Delineation of Effector Mechanisms Involved and of Strategies for the Augmentation of Their Efficacy, Schneeberger A, Koszik F, Stingl G, 110S

Immunoreactivity, neurofibromin, reduced, 664
In This Issue, Bickenbach JR, 1, 1S, 145, 309, 527, 633, 729
In Three Types of Interface Dermatitis, Different Patterns of Expression of Intercellular Adhesion Molecule-1 (ICAM-1) Indicate Different Triggers of Disease, Bennion SD, Middleton MH, David-Bajar KM, Brice S, Norris DA, 71S
Induction and Functions of Murine T-Helper Cell Subsets, The, Müller KM, Röcken M, Carlberg C, Hauser C, 8S
Inflammation, cutaneous, 62S
Inflammatory skin disorders, 562
Infrared ATR measurements of liposome transport kinetics, 291
Inhalant allergen patch tests, 407
Inhibition of Type I Collagen mRNA Expression Independent of Tryptophan Depletion in Interferon-γ–Treated Human Dermal Fibroblasts, Yufit T, Vining V, WangG L, Brown RR, Varga J, 388
Inositol 1,4,5-trisphosphate, 329
Insulin–Like Growth Factor-I and Epidermal Growth Factor Regulate Insulin–Like Growth Factor Binding Protein-3 (IGFBP-3) in the Human Keratinocyte Cell Line HaCaT, Wraight CJ, Werther GA, 602
Intercellular adhesion molecule-1, 526, 789, 67S, 71S
Intercellular adhesion molecule-3, 215
Interface dermatitis, 71S
Interferon-δ
  –dependent stimulation of fas antigen, 810
  –treated human dermal fibroblasts, 388
Interferonδ–Dependent Stimulation of Fas Antigen in SV40–Transformed Human Keratinocytes: Modulation of the Apoptopic Process by Protein Kinase C, Takahashi H, Kobayashi H, Hashimoto Y, Matsuo S, Iizuka H, 810
Interleukin
  -1 axis, 62S
  -1α mRNA, epidermal, 394
  -2 receptor, 837
  -7, 50S
  -10 in Langerhans cells, 124
  -15, 837
Interleukin-1 Axis and Cutaneous Inflammation, The, Kupper TS, Groves RW, 62S
Interleukin-1 Receptor Antagonist Suppresses Contact Hypersensitivity, Kondo S, Pastore S, Fijisawa H, Shivji GM, McKenzie RC, Dinarello CA, Sauder DN, 334
Interleukin-7–Dependent Interaction of Dendritic Epidermal T Cells with Keratinocytes, Takashima A, Matsue H, Bergstresser PR, Ariizumi K, 50S
Interstitial collagenase, 184
Intracellular calcium, 231, 329
Intralesional T-Lymphocyte Activation as a Mediator of Psoriatic Epidermal Hyperplasia, Bata-Csorgo Z, Hammerberg C, Voorhees JJ, Cooper KD, 89S
In Vivo Destruction of Melanocytes by the IgG Fraction of Serum from Patients with Vitiligo, Gilhar A, Zelickson B, Ulman Y, Etzioni A, 683
Involvement of Cytokines, DNA Damage, and Reactive Oxygen Intermediates in Ultraviolet Radiation–Induced Modulation of Intercellular Adhesion Molecule-1 Expression, Krutmann J, Grewe M, 67S
Irradiation, 264
Irritants, tape stripping and, 274
Isoforms, 314

K

Keratin 14 Gene Mutations in Patients with Epidermolysis Bullosa Simplex, Chen H, Bonifas JM, Matsumura K, Ikeda S, Leyden WA, Epstein EH Jr, 629
Keratinocyte(s)
  adhesion, 237
  cation channel, nonspecific, amiloride block of, 203
  cell lines, 536
  cultured human, proto-oncogene pim-1 in, 699
  –derived
    monocyte attractant, 635
    vascular endothelial growth factor, 44
  differentiation, Ca^{++}–induced, 203
  endothelin-1, origin, 744
  genetically modified, 756
  growth factor expression, 579
  HaCaT, 557, 602
  human
    cell line, 70
    cultured
      amphiregulin regulation in, 802
      proto-oncogene pim-1 in, 699
    cultures, liposome transport kinetics in, 291
    expression of cell adhesion and motility in, 774
    GP80 of, 418
    platelet–activating factor receptors on, 816
    poly-L-ornithine–mediated transfection, 668
    SV40–transformed, 810
  IFN-δ–treated, 536
  interaction with dendritic epidermal T cells, 50S
  migration, 237
  normal
    human, 644
    transglutaminase, 653
  proliferative potential of plucked human hair follicles, 14
  proliferation, 693
  T-cell activation by, 25S
  transformed, 655
  undifferentiated, in the human fetal bulge, 844
  UV–induced DNA damage in, 259
Keratinocyte–Derived Monocyte Chemoattractant Protein 1 (MCP-1): Analysis in a Transgenic Model Demonstrates MCP-1 Can Recruit Dendritic and Langerhans Cells to Skin, Nakamura K, Williams IR, Kupper TS, 635
Kinase
  C protein
    apoptotic process modulation by, 810
    subspecies, 567
  focal adhesion, ($p125^{FAK}$), 104
Kinetics, liposome transport, 291

L

Lamb3 gene, 855
Lamellar ichthyosis, 619, 653
Lamellar Ichthyosis Is Genetically Heterogeneous—Cases with Normal Keratinocyte Transglutaminase, 3Huber M, Rettler I, Bernascone K, Wyss M, Hohl D, 653
Lamina
  basal, formation, 597
  lucida, lower, autoantigen, 105-kD, 75
Laminin
  expression, 301
  5
    α subunit, 543
    δ2 chain, 648
    Lamb3 gene, mutations in, 855
    105-kD δ2 chain, 75
  -5r, soluble, 557
Langerhans cells
  epidermal, 215
  interleukin-10 in, 124
  normal skin, 383
  recruitment by MCP-1, 635
Langerhans–like $CD1^+$ dendritic antigen–presenting cells, 782
Laser pulse treatment for port–wine stains, 709
Last nucleotide of exon 34 in COL3A1, 352
Lepromin, 8
Lesional Psoriatic Epidermis Displays Reduced Neurofibromin Immunoreactivity, Peltonen J, Karvonen S-L, Ylä-Outinen H, Hirvonen O, Karvonen J, 664
Lesional psoriatic epidermis, 664
Lesions
  dermatitis herpetiformis, 184
  skin, from renal transplant recipients, 367
Lichen planus, 100
Light, polymorphic, eruption, 532
Lipids Are Covalently Attached to Rigid Corneocyte Protein Envelopes Existing Predominantly as βSheets: A Solid–State Nuclear Magnetic Resonance Study, Lazo ND, Meine JG, Downing DT, 296
Lipopolysaccharides, 58S

Liposome transport kinetics, 291
Local and Systemic Reduction by Topical Finasteride or Flutamide on Hamster Flank Organ Size and Enzyme Activity, Chen C, Puy LA, Simard J, Li X, Singh SM, Labrie F, 678
Lotions, sunscreen, 339
Low Doses of Repetitive Ultraviolet A Induce Morphologic Changes in Human Skin, Lowe NJ, Meyers DP, Wieder JM, Luftman D, Borget T, Lehman MD, Johnson AW, Scott IR, 739
Lower lamina lucida autoantigen, 105-kD, 75
Lymph nodes, 264
Lymphocyte(s)
activation in cutaneous T-cell lymphoma, 105S
function in atopic dermatitis, 84S
HIV-1 spread from, 644
T-, activation, intralesional, 89S
Lymphocyte Activation in Cutaneous T-Cell Lymphoma, Wood GS, 105S
Lymphocyte Activation in Cutaneous Drug Reactions, Hertl M, Merk HF, 95S
Lymphoid tissue, skin–associated, 99S
Lymphomas, cutaneous T-cell, 62, 856, 105S
Lymphomatoid Papulosis and Associated Cutaneous Lymphoproliferative Disorders Exhibit a Common Clonal Origin, Wood GS, Crooks CF, Uluer AZ, 51
Lysosomal lineage of organelles, 3

M

Macrophages
epidermal, UV–induced, 383
subset, $CD36^+$ $CD11b^+$ $CD1^-$, 782
Magnetic resonance, nuclear, study, 296
Malignant
human melanocytes, 301
melanoma, cutaneous, primary thick, 22
premalignant skin lesions from renal transplant recipients and, 367
T-cells, 62
Mammalian immune response, steroid regulation, 14S
Mast Cells Induce T-Cell Adhesion to Human Fibroblasts by Regulating Intercellular Adhesion Molecule-1 and Vascular Cell Adhesion Molecule-1 Expression, Meng H, Marchese J, Garlick JA, Jelaska A, Korn JH, Gailit J, Clark RAF, Gruber BL, 789
MAT-1, a Monoclonal Antibody that Specifically Recognizes Human Tyrosinase, Takimoto H, Suzuki S, Masui S, Shibata K, Tomita Y, Shibahara S, Nakano H, 764
Matrilysin, 190
Matrix(ces)
collagen, 177
dermal, 426
fibronectin, 237
metalloproteinases, 170, 190, 411
Matrix Metalloproteinases in Blood Vessel Development in Human Fetal Skin and in Cutaneous Tumors, Karelina TV, Goldberg GI, Eisen AZ, 411
Matrix Metalloproteinase Matrilysin Is Constitutively Expressed in Adult Human Exocrine Epithelium, Saarialho-Kere UK, Crouch EC, Parks WC, 190
Maturation and Migration of Cutaneous Dendritic Cells, Steinman R, Hoffman L, Pope M, 2S
Mature hemidesmosome formation in HaCaT keratinocytes, 557
MCP-1, 635
Melanins, hair, 361
Melanocyte(s)
dendricity, 744
destruction of, 683
effects of monoclonal anti–c–kit antibody on, 322
human
malignant, 301
normal, 567
–stimulating hormone, 655
UV–induced DNA damage in, 259
Melanocyte Differentiation Marker gp75, the *Brown* Locus Protein, Can Be Regulated Independently of Tyrosinase and Pigmentation, Vijayasaradhi S, Doskoch PM, Wolchok J, Houghton AN, 113
Melanogen gene, new, 32
Melanoma(s)
cells
human, 248
mouse, 655
heterozygosity loss, 625
histologic patterns, 797
human
cell lines, motility, 104
metastases, 109
immunologic host defense, 110S
malignant, cutaneous, primary thick, 22
Melanosomes Are Specialized Members of the Lysosomal Lineage of Organelles, *review*, Orlow SJ, 3
Metalloproteinase matrices, 170, 190, 411
Metastases of human melanoma, 109
MIB-1 Proliferative Activity Is a Significant Prognostic Factor in Primary Thick Cutaneous Melanoma, Ramsay JA, From L, Iscoe NA, Kahn HJ, 22
Mice
athymic, 756
dendritic epidermal T cells, 43S
epicutaneous application of contact sensitizing agents in, 749
immature hair follicle buds, 177
melanoma cells, 655
mutants, 361
newborn, effects of monoclonal anti–c-kit antibody on, 322
nude, grafts, 177
skin wound healing, 120
transgenic, 269
Microsatellite Instability and Loss of Heterozygosity in Melanoma, Peris K, Keller G, Chimenti S, Amantea A, Kerl H, Höffler H, 625
Microscopy, atomic force, 96
Microvascular
dermal, endothelial cells, human, 170
endothelial cells, dermal, mitogen for, 44
Migration and maturation of dendritic cells, 2S
Mitogen for dermal microvascular endothelial cells, 44
Modulation of Contact Sensitivity Responses by Bacterial Superantigen, Saloga J, Enk AH, Becker D, Mohamadzadeh M, Spieles S, Belinghausen I, Leung DYM, Gelfand EW, Knop J, 220
Modulation of Immunity by Ultraviolet Radiation: Key Effects on Antigen Presentation, Ullrich SE, 30S
Molecule(s)
ICAM-1, 536
-3, intercellular adhesion, 215
Monoclonal antibody(ies)
anti–c–kit antibody, 322
GB3, 648
MAT-1, 764
to *cis*–urocanic acid, 264
to human epidermal filaggrin, 432
Monoclonal Antibodies to Human Epidermal Filaggrin, Some Not Recognizing Profilaggrin, Simon M, Sebbag M, Haftek M, Vincent C, Girbal-Neuhauser E, Rakotoarivony J, Sommé G, Schmitt D, Serre G, 432
Monocyte attractant, keratinocyte–derived, 635
Monocyte Phosphodiesterase Abnormalities and Dysregulation of Lymphocyte Function in Atopic Dermatitis, Hanifin JM, Chan SC, 84S
Mononuclear cells, proliferating, 733
Monophosphate–dependent up–regulation, cyclic adenosine, in HaCaT, 70
Monospecific antibody, 163
Morphogenesis, fetal skin, 802
Morphologic changes in human skin, UVA–induced, 739
Morphology, hair, environmental effects on, 96
Motility of human melanoma cell lines, 104
Mouse
athymic, 756
dendritic epidermal T cells, 43S
epicutaneous application of contact sensitizing agents in, 749
immature hair follicle buds, 177
melanoma cells, 655
mutants, 361
newborn, effects of monoclonal anti–c-kit antibody on, 322
nude, grafts, 177
skin wound healing, 120
transgenic, 269
MRNAs
α1(I) procollagen, for, 27
collagen, type I, 388
interleukin-1α, epidermal, 394

production, 655
Murine Epidermal Vδ5/Vδ1–T-Cell Receptor$^+$ T Cells Respond to B-Cell Lines and Lipopolysaccharides, Reardon CL, Heyborne K, Tsuji M, Zavala F, Tigelaar RE, O'Brien RL, Born WK, 58S
Murine
epidermal
dendritic
cell clones, 831
T cells, 592
γδ T-cells, 837
T-helper cell subsets, 8S
Mutant mice, 361
Mutations
in the p53 gene, 399
keratin 14 gene, 629
Mutations in Epidermolysis Bullosa Simplex, *editorial*, Goldsmith LA, 529
Mutations in the Laminin 5 Lamb3 Gene in Generalized Atrophic Benign Epidermolysis Bullosa, *letter*, Anton-Lamprecht I, 855

N

Necrosis, tumor, factor-α, 120, 124
Nerve Growth Factor Is Increased in Psoriatic Skin, *letter*, Fantini F, Magnoni C, Bracci-Laudiero L, Pincelli C, 854
Neurofibromin immunoreactivity, reduced, 664
Neutralization, antibody, 438
Neutrophils Express Tumor Necrosis Factor-α During Mouse Skin Wound Healing, Feiken E, Rømer J, Eriksen J, Lund LR, 120
New melanin gene, 32
Newborn mice, effects of monoclonal anti–c-kit antibody on, 322
Newly Identified 105-kD Lower Lamina Lucida Autoantigen Is an Acidic Protein Distinct from the 105-kD δ2 Chain of Laminin-5, A, Chan LS, Wang X-S, Lapiere JC, Marinkovich MP, Jones JCR, Woodley DT, 75
Nickel
allergic contact dermatitis, 143
–reactive T-lymphocyte clones, human, with copper and palladium, 92
Nicotinic Acetylcholine Receptor Regulating Cell Adhesion and Motility Is Expressed in Human Keratinocytes, A, Grando SA, Horton RM, Pereira EFR, Diethelm-Okita BM, George PM, Albuquerque EX, Conti-Fine BM, 774
Nidogen, 597
Nodes, lymph, 264
Normal
keratinocytes(s)
human, 644
transglutaminase, 653
melanocytes, human, 567
T-cells, 62
Novel skin–derived fibroblast lines, NS series, 225
Nuclear magnetic resonance study, 296
Nucleotide, last, of exon 34 in COL3A1, 352
Nude mouse grafts, 177

O

Oil, fish, dietary, 532
105-kD lower lamina lucida autoantigen, 75
Organ size, hamster flank, 678
Organelles, lysosomal lineage, 3
Osteopontin, 138
Oxygen, reactive, intermediates in UV radiation–induced ICAM-1 expression, 67S

P

Palladium, human nickel–reactive T-lymphocyte clones and, 92
Papilla cells, dermal, rat whisker, 177
Papillomavirus, human
DNA, epidermodysplasia verruciformis–associated, 367
infection, 99S
Papulosis, lymphomatoid, 51 Patch tests, inhalant allergen, 407
PDGF-A, 756
Pemphigoid
anti–epiligrin cicaticial, 543
bullous, antibodies from patients with, preferentially directed against 230-kD antigen, 824
Pemphigus
antigens, 243
foliaceus, 153
IgG, 329
vulgaris, 153
sera, 147
Pemphigus Sera Recognize Conformationally Sensitive Epitopes in the Amino–Terminal Region of Desmoglein-1, Kowalczyk AP, Anderson JE, Borgwardt JE, Hashimoto T, Stanley JR, Green KJ, 147
Pemphigus Vulgaris and Pemphigus Foliaceus Sera Show an Inversely Graded Binding Pattern to Extracellular Regions of Desmosomes in Different Layers of Human Epidermis, Shimizu H, Masunaga T, Ishiko A, Kikuchi A, Hashimoto T, Nishikawa T, 153
Peptides, proopiomelanocortin–derived, 655
Peripheral blood of psoriatic patients, 733
Peroxide, hydrogen, 608
P53
gene, mutations in, 399
in human skin, 402
PGE_2, 532
Phenotypic and Functional Heterogeneity Among Murine Epidermal–Derived Dendritic Cell Clones, Xu S, Bergstresser PR, Takashima A, 831
Phenotypic Changes that TCR Vδ3$^+$ Fetal Thymocytes Undergo During Their Maturation into Dendritic Epidermal T Cells, Payer E, Kutil R, Stingl G, 54S
Phosphate, calcium, in human pilomatricomas, 138
Phosphodiesterase
IV activity, 70
monocyte, abnormalities, 84S
Phospholipase C, 329
Photoaging, cutaneous, 269
Photodamaged adult human skin, 285
Photodynamic effects, wavelength dependency of, 672
Photosensitivity disorders, 532
Pigmentation
guinea pig skin, 687
independent gp75 regulation of, 113
Pigmentosum, xeroderma, 399
Pilomatricomas, 138
Planus, lichen, 100
Plasminogen
activator secretion in DJM-1 cells, 329
urokinase, activator, 184
Platelet–activating factor receptors on human keratinocytes, 816
Poly-L-Ornithine–Mediated Transfection of Human Keratinocytes, Nead MA, McCance DJ, 668
Polymerase, poly(ADP-ribose), 38
Polymorphic light eruption, 532
Polyphenols, green tea, 394
$P125^{FAK}$, 104
Port–wine stain vessels, 709
Possible Role of Osteopontin in Deposition of Calcium Phosphate in Human Pilomatricomas, Hirota S, Asada H, Kohri K, Tsukamoto Y, Ito A, Yoshikawa K, Xu Z, Nomura S, Kitamura Y, 138
Post–transcriptional mechanism in dermal fibroblasts, 65
Premalignant and malignant skin lesions from renal transplant recipients, 367
Pretibial dermopathy, thyroid–related, 372
Primary Cytotoxicity in Ultraviolet-A–Irradiated Riboflavin Solution Is Derived from Hydrogen Peroxide, The, Sato K, Taguchi H, Maeda T, Minami H, Asada Y, Watanabe Y, Yoshikawa K, 608
Primary thick cutaneous malignant melanomas, 22
Procollagen
α1(I), 27
type I and type III, 285
Procollagenases, type IV, 177
Proliferative Potential of Different Keratinocytes of Plucked Human Hair Follicles, Moll I, 14
Proopiomelanocortin–derived peptides, 655
Protein(s)
acidic, 75
analysis of a bovine dermal allergen, 660

Brown locus, 113
cellular
retinoid binding, 549
retinol–binding, 80
corneocyte, envelopes, 296
deiminated, 163
expression in SENCAR mice, 394
kinase C
apoptotic process modulation by, 810
subspecies, 567
1 (MCP-1), 635
72-kD heat shock, 160
-3 (IGFBP-3), 602
Proteinases, serine, 572
Proto–oncogene pim-1, 699
Psoriasin, 660
Psoriasis, 274
Psoriatic
epidermal hyperplasia, 89S
epidermis, lesional, 664
patients' peripheral blood, 733
skin, 854
P21
in human skin, 402
$^{WAF1/CIP1}$, 274

Q

Quercetin, 248

R

RANTES, 585
Rapid Spreading and Mature Hemidesmosome Formation in HaCaT Keratinocytes Induced by Incubation with Soluble Laminin-5r, Hormia M, Falk-Marzillier J, Plopper G, Tamura RN, Jones JCR, Quaranta V, 557
Rat
skin, elastic fibers in, 254
whisker dermal papilla cells, 177
Reactive oxygen, intermediates in UV radiation–induced ICAM-1 expression, 67S
Receptor(s)
αMSH, 655
interleukin-1, antagonist, 334
T-cell antigen, 372
Reduced Skin Barrier Function Parallels Abnormal Stratum Corneum Lipid Organization in Patients with Lamellar Ichthyosis, Lavrijsen APM, Bouwstra JA, Gooris GS, Weerheim A, Boddé HE, Ponec M, 619
Reduced Type I and Type III Procollagens in Photodamaged Adult Human Skin, Talwar HS, Griffiths CEM, Fisher GJ, Hamilton TA, Voorhees JJ, 285
Reductase, 5α, 209
Regeneration, dermal, 756
Renal transplant recipients, skin lesions from, 367
Resonance, nuclear magnetic, study, 296
Respiratory burst in human eosinophils, 231
Retinoic acid, 80, 549
Retinoid binding proteins, cellular, 549
Retinol, application to human skin, 549
Riboflavin, UVA–irradiated solution, 608
Role of Superantigens in Skin Disease, The, Leung DYM, Travers JB, Norris DA, 37S

S

Scleroderma fibroblasts, 128
Sclerosis, systemic, 280
Sebaceus glands, 209
SENCAR mice, 394
Sensitivity, contact, 220, 80S
Serum(a)
pemphigus, 147, 153
vitiligo patients, 683
Serine proteinases, 572
72-kD Heat Shock Protein Is a Mediator of Resistance to Ultraviolet B Light, Trautinger F, Kindås-Mügge I, Barlan B, Neuner P, Knobler RM, 160
Sezary cells, 56
Significant Correlation Between Connective Tissue Growth Factor Gene Expression and Skin Sclerosis in Tissue Sections from Patients with Systemic Sclerosis, Igarashi A, Nashiro K, Kikuchi K, Sato S, Ihn H, Grotendorst GR, Takehara K, 280
6-hydroxysphingosine, 613
Skin
adult human, photodamaged, 285
appendages, effect of sunscreen and constitutive p21 expression in, 402
barrier function, reduced, 619
cytokine networks in, 20S
–derived fibroblast lines, NS series, novel, 225
disease, superantigens in, 37S
disorders, inflammatory, 562
fetal, morphogenesis, 802
fibroblasts, 197, 597
guinea pig, pigmentation, 687
human
application of retinol, 549
engineered model, 38
fetal
blood vessel development, 411
hair follicle bulge, 844
free sphingosines, 613
morphologic changes, UVA–induced, 739
p21 and p53 in, 402
lesions from renal transplant recipients, 367
mouse, wound healing, 120
psoriatic, 854
rat, elastic fibers in, 254
recruitment of dendritic and Langerhans cells to, 635
T-cell activation in, 80S
transplantation, full-thickness, from mice with *cpdm/cpdm*, 769
tumors, 592
whole, 209
Skin as Target, Vector, and Effector Organ in Human Immunodeficiency Virus Disease, The, Blauvelt A, Katz SI, 122S
Skin–Associated Lymphoid Tissue in Human Immunodeficiency Virus-1, Human Papillomavirus, and Herpes Simplex Virus Infections, Memar OM, Arany I, Tyring SK, 99S
Skin Fibroblasts Are the Only Source of Nidogen During Early Basal Lamina Formation *In Vitro*, Fleischmajer R, Schechter A, Bruns M, Perlish JS, MacDonald ED, Pan T-C, Timpl R, Chu M-L, 597
Solar–stimulated UV irradiation, chronic, 345
Soluble laminin-5r, 557
Sphingosines, free, of human skin, 613
Squamous cell carcinoma(s)
lines, 329
mutations in the p53 gene in, 399
Staphylococcal Enterotoxin B Upregulates Expression of ICAM-1 Molecules on IFN-δ–Treated Keratinocytes and Keratinocyte Cell Lines, Wakita H, Tokura Y, Furukawa F, Takigawa M, 536
Steroids as Regulators of the Mammalian Immune Response, Daynes RA, Araneo BA, Hennebold J, Enioutina E, Mu HH, 14S
Stratum corneum lipid organization, abnormal, 619
Stroma, connective tissue, cellular and vascular, 756
Stromelysin-1, 184
Structure of Fully Hydrated Human Stratum Corneum: A Freeze–Fracture Electron Microscopy Study, van Hal DA, Jeremiasse E, Junginger HE, Spies F, Bouwstra JA, Study, nuclear magnetic resonance, 296
Subsets, cell, antigen–presenting, 383
Sunlight, minimum erythema dose, UV–induced DNA damage per, 259
Sunscreen
effect and constitutive p21 expression, in skin appendages, 402
lotions, 339
protection, 345
Sunscreen Protection of Contact Hypersensitivity Responses from Chronic Solar–Simulated Ultraviolet Irradiation Correlates with the Absorption Spectrum of the Sunscreen, Bestak R, Barnetson RStC, Nearn MR, Halliday GM, 345
Superantigen(s)
bacterial, 220
in skin disease, 37S

Suppression of Keratinocyte Growth Factor Expression by Glucocorticoids *In Vitro* and During Wound Healing, Brauchle M, Fässler R, Werner S, 579
SV40–transformed human keratinocytes, 810
Systemic sclerosis, 280

T

Tamoxifen and Quercetin Interact with Type II Estrogen Binding Sites and Inhibit the Growth of Human Melanoma Cells, Piantelli M, Maggiano N, Ricci R, Larocca LM, Capelli A, Scambia G, Isola G, Natali PG, Ranelletti FO, 248
Tape stripping and irritants, 274
T cell(s)
  activation
    by keratinocytes, 25S
    in skin, 80S
  adhesion to human fiboblasts, 789
  antigen receptor, 372
  epidermal
    dendritic
      fetal, 54S
      human, 50S
      mouse, 43S
      murine, expression of 2B4 on, 592
    murine
      γδ, 837
      Vδ5/Vδ1, 58S
  lymphoma, cutaneous, 62, 856, 105S
  malignant and normal, 62
  receptor α chain variable regions in patients with cutaneous T-cell lymphoma, 62
  vaccination, 143
  $V\delta5^+$ and $V\delta5^-$ $\gamma/\delta TcR^+$, 379
T-Cell Vaccination in Patients with Nickel Allergic Contact Dermatitis, *letter*, Dolhain RJEM, Elferink BG, Leow A, Witvlier MD, Claas FHJ, Struyk L, Vermeer BJ, Breedveld FC, De Vries RRP, 143
TCR $V\delta3^+$ fetal thermocytes, 54S
TGF-β1, 27, 128
Tea, green, polyphenols, 394
T-helper, murine, cell subsets, 8S
Thermal Relaxation of Port–Wine Stain Vessels Probed *In Vivo*: The Need for 1-10–Millisecond Laser Pulse Treatment, Dierickx CC, Casparian JM, Venugopalan V, Farinelli WA, Anderson RR, 709
Thermocytes, fetal, TCR $V\delta3^+$, 54S
3q21-24 chromosome, 357
Th2 Cytokine Profile in Cutaneous T-Cell Lymphoma, *letter*, Lessin SR, Vowels BR, Rook AH, 856
Thyroid–related pretibial dermopathy, 372
Time–Resolved Infrared ATR Measurements of Liposome Transport Kinetics in Human Keratinocyte Cultures and Skin Reveals a Dependence on Liposome Size and Phase State, Reinl HM, Hartinger A, Dettmar P, Bayerl TM, 291
Tissue, connective
  growth factor gene expression, 280
  lymphoid, skin–associated, 99S
  stroma, cellular and vascular, 756
Titration of HPV-11 Infectivity and Antibody Neutralization Can Be Measured *In Vitro*, Smith LH, Foster C, Hitchcock ME, Leiserowitz GS, Hall K, Isseroff R, Christensen ND, Kreider JW, 438
T-lymphocyte
  activation, intralesional, 89S
  clones, human nickel–reactive, 92
TNF-R55–Specific Form of Human Tumor Necrosis Factor α Induces Collagenase Gene Expression by Human Skin Fibroblasts, Westermarck J, Häkkinen L, Fiers W, Kähäri V-M, 197
Topical
  diacylglycerols, 687
  finasteride and flutamide, 678
Topically Applied Diacylglycerols Increase Pigmentation in Guinea Pig Skin, Allan AE, Archambault M, Messana E, Gilchrest BA, 687
Tortuosity, UV–induced, of elastic fibers, 254
TPA, 394
Transformed keratinocytes, 655
Transforming growth factor–β1, 128
Transgenic mice, 269
Transglutaminase, keratinocyte, normal, 653
Transplantation
  autologous and allogenic, of HIV-1 spread from lymphocytes to normal human keratinocytes, 644
  renal, recipients, skin lesions from, 367
  skin, full-thickness, from mice with *cpdm/cpdm*, 769
Transport kinetics, liposome, 291
Trisphosphate, 1,4,5-, inositol, 329
Tropoelastin, 65
Tryptophan depletion in interferon δ–treated human dermal fibroblasts, 388
Tumor(s)
  cutaneous, 411
  necrosis factor-α, 120, 124
  progression, enzymes in, 109
  skin, 592
12-O-tetradecanoylphorbol-13-acetate, 394
2B4, a New Member of the Immunoglobulin Gene Superfamily, Is Expressed on Murine Dendritic Epidermal T Cells and Plays a Functional Role in Their Killing of Skin Tumors, Schuhmachers G, Ariizumi K, Mathew PA, Bennett M, Kumar V, Takashima A, 592
22-Oxa Calcitriol Is a Less Potent Regulator of Keratinocyte Proliferation and Differentiation Due to Decreased Cellular Uptake and Enhanced Catabolism, Bikle DD, Abe-Hashimoto J, Su M-J, Felt S, Gibson DFC, Pillai S, 693
25th Annual Meeting of the European Society for Dermatological Research, Vienna, September 23-26, 1995, *abstracts*, 445
230-kD bullous pemphigoid antigen, 824
Type
  1
    1collagen mRNA, 388
    5α-reductase, 209
    procollagen, 285
  II estrogen binding sites, 248
  III procollagen, 285
  IV procollagenases, 177
Tyrosinase
  gene, 32
  gp75 regulation, independent, 113
  human, 764

U

Ultraviolet
  A, 608, 739
  action spectra, 259
  B, 32, 160
  induced
    changes in Langerhans cells, 264
    DNA damage per minimum erythema dose sunlight, 259
    epidermal macrophages, 383
    tortuosity of elastic fibers, 254
  irradiation, chronic, solar–stimulated, 345
  light–induced expression of p53 and p21, 402
  radiation
    activation of human elastin promoter by in transgenic mice, 269
    effects on antigen presentation, 30S
    granulomatous, response decrease to lepromin in humans, 8
    –induced
      expansion of a $CD36^+$ $CD11b^+$ $CD1^-$ macrophage subset, 782
      immune suppression of contact hypersensitivity, 339
      modulation of ICAM-1 expression, 67S
  –stimulating hormone, 655
  tropoelastin increased by, 65
Ultraviolet Light Induces Expression of p53 and p21 in Human Skin: Effect of Sunscreen and Constitutive p21 Expression in Skin Appendages, Pontén F, Berne B, Ren Z-P, Nistér M, Pontén J, 402
Ultraviolet Radiation Activates the Human Elastin Promoter in Transgenic Mice: A Novel *In Vivo* and *In Vitro* Model of Cutaneous Photoaging, Bernstein EF, Brown DB, Urbach F, Forbes D, Del Monaco M, Wu M, Katchman SD, Uitto J, 269
Ultraviolet Radiation Decreases the Granulomatous Response to Lepromin in Humans, Cestari TF, Kripke ML, Baptista PL, Bakos L, Bucana CD, 8
Ultraviolet Radiation Increases Tropoelastin Accumulation by a Post-Transcriptional Mechanism in Dermal Fibroblasts, Schwartz E, Feinberg E, Lebwohl M, Mariani TJ, Boyd CD, 65

Up–Regulation of CD44 Expression by Tumor Necrosis Factor-α Is Neutralized by Interleukin-10 in Langerhans Cells, Osada A, Nakashima H, Furue M, Tamaki K, 124
Up–Regulation of p21 $^{WAF1/CIP1}$ in Psoriasis and After the Application of Irritants and Tape Stripping, Healy E, Reynolds NJ, Smith MD, Harrison D, Doherty E, Campbell C, Rees JL, 274
Urine of patients with inflammatory skin disorders, 562
Urokinase plasminogen activator, 184
UV
  A, 608, 739
  action spectra, 259
B, 332, 160
  induced
    changes in Langerhans cells, 264
    DNA damage per minimum erythema dose sunlight, 259
    epidermal macrophages, 383
    tortuosity of elastic fibers, 254
  irradiation, chronic, solar–stimulated, 345
  light–induced expression of p53 and p21, 402
  radiation
    activation of human elastin promoter by in transgenic mice, 269
    effects on antigen presentation, 30S
    granulomatous, response decrease to lepromin in humans, 8
    –induced
      expansion of a $CD36^+$ $CD11b^+$ $CD1^-$ macrophage subset, 782
      immune suppression of contact hypersensitivity, 339
      modulation of ICAM-1 expression, 67S
  –stimulating hormone, 655
  tropoelastin increased by, 65

V

Vaccination, T-cell, 143
Vascular
  cell adhesion molecule-1 expression, 789
  cellular connective tissue stroma and 756
  endothelial growth factor, keratinocyte–derived, 44
Vβ gene segments, 56
Versican, 426
Vessels, blood, development, matrix metalloproteinases in, 411
$V\delta5^- \delta/\delta$ TcR^+ T-cells, 379
$V\delta5^+ \delta/\delta$ TcR^+ T-cells, 379
Vδ5/Vδ1–T-cell $receptor^+$ T cells, murine epidermal, 58S
Virus, herpes simplex, 99S
Vitiligo, 683
Vulgaris, pemphigus, serum, 153

W

Wavelength Dependency of Photodynamic Effects After Sensitization with 5-Aminolevulinic Acid *In Vitro* and *In Vivo*, Szeimies R-M, Abels C, Fritsch C, Karrer S, Steinbach P, Bäumler W, Goerz G, Goetz AE, Landthaler M, 672
Whisker, rat, dermal papilla cells, 177
Whole skin, 209
Wound
  acute and chronic, 572
  healing
    human, 579
    mouse skin, 120

X

Xeroderma pigmentosum, 399

Z

ζ subspecies in growth regulation, 567